1. Agurs-Collins, T.D., T.R. Ten Have, S.K. Kumanyika and L.L. Adams-Campbell (1997) A randomized controlled trial of weight reduction and exercise for diabetes management in older African-American subjects. Diabetes Care. 20:(10): 1503.

2. American College of Sports, M. (2000) American College of Sports Medicine position stand: Exercise and type 2 diabetes. Medicine and Science in Sports and Exercise. 32:(7): 1345.

3. Anania, F.A., S. Parekh and A. Shaukat (2005) The Diabetes Prevention Program and the metabolic syndrome. Ann Intern Med. 143:(7): 545; author reply 545-6.

4. Balagopal, P., D. George, N. Patton, H. Yarandi, W.L. Roberts, E. Bayne and S. Gidding (2005) Lifestyle-only intervention attenuates the inflammatory state associated with obesity: a randomized controlled study in adolescents. J Pediatr. 146:(3): 342-8.

5. Ball, G.D., G.Q. Shaibi, M.L. Cruz, M.P. Watkins, M.J. Weigensberg and M.I. Goran (2004) Insulin sensitivity, cardiorespiratory fitness, and physical activity in overweight Hispanic youth. Obes Res. 12:(1): 77-85.

6. Bengmark, S. (2004) Acute and "chronic" phase reaction-a mother of disease. Clin Nutr. 23:(6): 1256-66.

7. Bergfors, M., M. Barnekow-Bergkvist, N. Kalezic, E. Lyskov and J.W. Eriksson (2005) Short-term effects of repetitive arm work and dynamic exercise on glucose metabolism and insulin sensitivity. Acta Physiol Scand. 183:(4): 345-56.

8. Berggren, J.R., M.W. Hulver, G.L. Dohm and J.A. Houmard (2004) Weight loss and exercise: implications for muscle lipid metabolism and insulin action. Med Sci Sports Exerc. 36:(7): 1191-5.

9. Bestermann, W., M.C. Houston, J. Basile, B. Egan, C.M. Ferrario, D. Lackland, R.G. Hawkins, J. Reed, P. Rogers, D. Wise and M.A. Moore (2005) Addressing the global cardiovascular risk of hypertension, dyslipidemia, diabetes mellitus, and the metabolic syndrome in the southeastern United States, part II: treatment recommendations for management of the global cardiovascular risk of hypertension, dyslipidemia, diabetes mellitus, and the metabolic syndrome. Am J Med Sci. 329:(6): 292-305.

10. Biolo, G., B. Ciocchi, M. Stulle, A. Piccoli, S. Lorenzon, V. Dal Mas, R. Barazzoni, M. Zanetti and G. Guarnieri (2005) Metabolic consequences of physical inactivity. J Ren Nutr. 15:(1): 49-53.

11. Bitsori, M. and A. Kafatos (2005) Dysmetabolic syndrome in childhood and adolescence. Acta Paediatr. 94:(8): 995-1005.

12. Boule, N.G., E. Haddad, G.P. Kenny, G.A. Wells and R.J. Sigal (2001) Effect of exercise on glycemic control and body mass in type 2 diabetes mellitus: A meta-analysis of controlled clinical trials. JAMA. 286:(10): 1218.

13. Boulton, A.J.M., A.I. Vinik, J.C. Arezzo, V. Bril, E.L. Feldman, R. Freeman, R.Z. Malik, R.E. Maser, J.M. Sosenko and D. Ziegler (2005) Diabetic Neuropathies. Diabetes Care. 28:(4): 956-962.

14. Brage, S., N. Wedderkopp, U. Ekelund, P.W. Franks, N.J. Wareham, L.B. Andersen and K. Froberg (2004) Features of the metabolic syndrome are associated with objectively measured physical activity and fitness in Danish children: the European Youth Heart Study (EYHS). Diabetes Care. 27:(9): 2141-8.

15. Cobain, M.R. and J.P. Foreyt (2005) Designing "lifestyle interventions" with the brain in mind. Neurobiol Aging. 26 Suppl 1: 85-7.

16. Colberg, S.R., D.P. Swain and A.I. Vinik (2003) Use of heart rate reserve and rating of perceived exertion to prescribe exercise intensity in diabetic autonomic neuropathy. Diabetes Care. 26:(4): 986.

17. Cruz, M.L., G.Q. Shaibi, M.J. Weigensberg, D. Spruijt-Metz, G.D. Ball and M.I. Goran (2005) Pediatric obesity and insulin resistance: chronic disease risk and implications for treatment and prevention beyond body weight modification. Annu Rev Nutr. 25: 435-68.

18. Daniels, S.R. (2005) Regulation of body mass and management of childhood overweight. Pediatr Blood Cancer. 44:(7): 589-94.

19. de Luca, C. and J.M. Olefsky (2006) Stressed out about obesity and insulin resistance. Nat Med. 12:(1): 41-2.

20. Deedwania, P.C. and N. Volkova (2005) Current Treatment Options for the Metabolic Syndrome. Curr Treat Options Cardiovasc Med. 7:(1): 61-74.

21. Deen, D. (2004) Metabolic syndrome: what is it and what can I do about it? Am Fam Physician. 69:(12): 2887-8.

22. den Heijer, T., S.E. Vermeer, E.J. van Dijk, N.D. Prins, P.J. Koudstaal, A. Hofman and M.M.B. Breteler (2003) Type 2 diabetes and atrophy of medial temporal lobe structures on brain MRI. Diabetologia. 46: 1604.

23. Dijs, H.M., J.M.A. Roofthooft, M.F. Driessens, P.G.E. DeBock, C. Jacobs and K.L. Van Acker (2000) Effect of physical therapy on limited joint mobility in the diabetic foot. Journal of the American Podiatric Medical Association. 90:(3): 126-132.

24. Dolan, N.C., K. Liu, M.H. Criqui, P. Greenland, J.M. Guralnik, C. Chan, J.R. Schneider, A.L. Mandapat, G. Martin and M.M. McDermott (2002) Peripheral artery disease, diabetes, and reduced lower extremity functioning. Diabetes Care. 25:(1): 113-20.

25. Evans, J.L., J.F. Youngren and I.D. Goldfine (2004) Effective treatments for insulin resistance: trim the fat and douse the fire. Trends Endocrinol Metab. 15:(9): 425-31.

26. Feldman, E.L., J.W. Russell, K.A. Sullivan and D. Golovoy (1999) New insights into the pathogenesis of diabetic neuropathy. Current Opinion in Neurology. 12:(5): 553.

27. Fletcher, B. and C. Lamendola (2004) Insulin resistance syndrome. J Cardiovasc Nurs. 19:(5): 339-45.

28. Ford, E.S., H.W. Kohl, 3rd, A.H. Mokdad and U.A. Ajani (2005)

Sedentary behavior, physical activity, and the metabolic syndrome among U.S. adults. Obes Res. 13:(3): 608-14.

29. Fowler, S.B., M. Moussouttas and B. Mancini (2005) Metabolic syndrome: contributing factors and treatment strategies. J Neurosci Nurs. 37:(4): 220-3.

30. Frank, L.L., B.E. Sorensen, Y. Yasui, S.S. Tworoger, R.S. Schwartz, C.M. Ulrich, M.L. Irwin, R.E. Rudolph, K.B. Rajan, F. Stanczyk, D. Bowen, D.S. Weigle, J.D. Potter and A. McTiernan (2005) Effects of exercise on metabolic risk variables in overweight postmenopausal women: a randomized clinical trial. Obes Res. 13:(3): 615-25.

31. Giles, T.D. and G.E. Sander (2005) Pathophysiologic, diagnostic, and therapeutic aspects of the metabolic syndrome. J Clin Hypertens (Greenwich). 7:(11): 669-78.

32. Gordois, A., P. Scuffham, A. Shearer, A. Oglesby and J.A. Tobian (2003) The health care costs of diabetic peripheral neuropathy in the U.S. Diabetes Care. 26:(6): 1790-1795.

33. Green, J.S., P.R. Stanforth, T. Rankinen, A.S. Leon, D. Rao Dc, J.S. Skinner, C. Bouchard and J.H. Wilmore (2004) The effects of exercise training on abdominal visceral fat, body composition, and indicators of the metabolic syndrome in postmenopausal women with and without estrogen replacement therapy: the HERITAGE family study. Metabolism. 53:(9): 1192-6.

34. Gregg, E.W., P. Sorlie, R. Paulose-Ram, Q. Gu, M.S. Eberhardt, M. Wolz, V. Burt, L. Curtin, M.M. Engelgau and L. Geiss (2004) Prevalence of lower-extremity disease in the U.S. adult population >40 years of age with and without diabetes. Diabetes Care. 27:(7): 1591-1597.

35. Hafidh, S., N. Senkottaiyan, D. Villarreal and M.A. Alpert (2005) Management of the metabolic syndrome. Am J Med Sci. 330:(6): 343-51.

36. Hasbum, B., J.T. Real, C. Sanchez, M.A. Priego, J. Diaz, A. Viguer, M. Basanta, J. Martinez-Valls, J. Marin, R. Carmena and J.F. Ascaso (2006) Effects of a controlled program of moderate physical exercise on insulin sensitivity in nonobese, nondiabetic subjects. Clin J Sport Med. 16:(1): 46-50.

37. Herman, W.H., T.J. Hoerger, M. Brandle, K. Hicks, S. Sorensen, P. Zhang, R.F. Hamman, R.T. Ackermann, M.M. Engelgau and R.E. Ratner (2005) The cost-effectiveness of lifestyle modification or metformin in preventing type 2 diabetes in adults with impaired glucose tolerance. Ann Intern Med. 142:(5): 323-32.

38. Hittel, D.S., W.E. Kraus, C.J. Tanner, J.A. Houmard and E.P. Hoffman (2005) Exercise training increases electron and substrate shuttling proteins in muscle of overweight men and women with the metabolic syndrome. J Appl Physiol. 98:(1): 168-79.

39. Honkola, A., T. Forsen and J. Eriksson (1997) Resistance training mproves the metabolic profile in individuals with type 2 diabetes. Acta Diabetologia. 34: 245.

40. Hu, F.B., M.J. Stampfer, C. Solomon, S. Liu, G.A. Colditz, F.E. Speizer, W.C. Willett and J.E. Manson (2001) Physical activity and risk

for cardiovascular events in diabetic women. Annals of Internal Medicine. 134: 96.

41. Jurca, R., M.J. Lamonte, C.E. Barlow, J.B. Kampert, T.S. Church and S.N. Blair (2005) Association of muscular strength with incidence of metabolic syndrome in men. Med Sci Sports Exerc. 37:(11): 1849-55.

42. Katzmarzyk, P.T., T.S. Church, I. Janssen, R. Ross and S.N. Blair (2005) Metabolic syndrome, obesity, and mortality: impact of cardiorespiratory fitness. Diabetes Care. 28:(2): 391-7.

43. Kelly, A.S., R.J. Wetzsteon, D.R. Kaiser, J. Steinberger, A.J. Bank and D.R. Dengel (2004) Inflammation, insulin, and endothelial function in overweight children and adolescents: the role of exercise. J Pediatr. 145:(6): 731-6.

44. Kiens, B. (2006) Skeletal muscle lipid metabolism in exercise and insulin resistance. Physiol Rev. 86:(1): 205-43.

45. Kim, H.J., J.S. Lee and C.K. Kim (2004) Effect of exercise training on muscle glucose transporter 4 protein and intramuscular lipid content in elderly men with impaired glucose tolerance. Eur J Appl Physiol. 93:(3): 353-8.

46. Koh, K.K., S.H. Han and M.J. Quon (2005) Inflammatory markers and the metabolic syndrome: insights from therapeutic interventions. J Am Coll Cardiol. 46:(11): 1978-85.

47. Kondo, N., M. Nomura, Y. Nakaya, S. Ito and T. Ohguro (2005) Association of inflammatory marker and highly sensitive C-reactive protein with aerobic exercise capacity, maximum oxygen uptake and insulin resistance in healthy middle-aged volunteers. Circ J. 69:(4): 452-7.

48. Koopman, R., R.J. Manders, A.H. Zorenc, G.B. Hul, H. Kuipers, H.A. Keizer and L.J. van Loon (2005) A single session of resistance exercise enhances insulin sensitivity for at least 24 h in healthy men. Eur J Appl Physiol. 94:(1-2): 180-7.

49. Laaksonen, D.E., H.M. Lakka, J.T. Salonen, L.K. Niskanen, R. Rauramaa and T.A. Lakka (2002) Low levels of leisure-time physical activity and cardiorespiratory fitness predict development of the metabolic syndrome. Diabetes Care. 25:(9): 1612-8.

50. LaMonte, M.J., B.E. Ainsworth and J.L. Durstine (2005) Influence of cardiorespiratory fitness on the association between C-reactive protein and metabolic syndrome prevalence in racially diverse women. J Womens Health (Larchmt). 14:(3): 233-9.

51. Lavie, C.J. and R.V. Milani (2004) Metabolic syndrome, inflammation, and exercise. Am J Cardiol. 93:(10): 1334.

52. MacGregor, R., Williams, S. J., Tong, P.Y., Kover, K., Moore, W.V., Stehno-Bittel, L. (2--6) Small rat islets are superior to large islets in in vitro function and transplantation outcomes. Am. J. Physiol. Endocrinol. Metab. epub: 00097.

53. Maiorana, A., G. O'Driscoll, C. Goodman, R. Taylor and D. Green (2002) Combined aerobic and resistance exercise improves glycemic control and fitness in type 2 diabetes. Diabetes Research and Clinical

Practice. 56: 115.

54. Marcell, T.J., K.A. McAuley, T. Traustadottir and P.D. Reaven (2005) Exercise training is not associated with improved levels of C-reactive protein or adiponectin. Metabolism. 54:(4): 533-41.

55. Menshikova, E.V., V.B. Ritov, F.G. Toledo, R.E. Ferrell, B.H. Goodpaster and D.E. Kelley (2005) Effects of weight loss and physical activity on skeletal muscle mitochondrial function in obesity. Am J Physiol Endocrinol Metab. 288:(4): E818-25.

56. Moller, D.E. and K.D. Kaufman (2005) Metabolic syndrome: a clinical and molecular perspective. Annu Rev Med. 56: 45-62.

57. Mouraux, T. and H. Dorchy (2005) [Weight of obesity in (pre)type 2 diabetes in children and adolescents: how and when to screen for?]. Arch Pediatr. 12:(12): 1779-84.

58. Mueller, M.J., J.E. Diamond, A. Delitto and D.R. Sinacore (1989) Insensitivity, limited joint mobility, and plantar ulcers in patients with diabetes mellitus. Physical Therapy. 69: 453.

59. Mueller, M.J., S.D. Minor, S.A. Sahrmann, J.A. Schaaf and M. . Strube (1994) Differences in the gait characteristics of patients with diabetes and peripheral neuropathy compated with age-matched controls. Physical Therapy. 74:(4): 299.

60. Mueller, M.J., D.R. Sinacore, M.K. Hastings, M.J. Strube and J.E. Johnson (2003) Effect of Achilles tendon lengthening on neuropathic plantar ulcers. Journal of Bone and Joint Surgery. 85-A:(8): 1436.

61. Nassis, G.P., K. Papantakou, K. Skenderi, M. Triandafillopoulou, S.A. Kavouras, M. Yannakoulia, G.P. Chrousos and L.S. Sidossis (2005) Aerobic exercise training improves insulin sensitivity without changes in body weight, body fat, adiponectin, and inflammatory markers in overweight and obese girls. Metabolism. 54:(11): 1472-9.

62. O'Donovan, G., E.M. Kearney, A.M. Nevill, K. Woolf-May and S.R. Bird (2005) The effects of 24 weeks of moderate- or high-intensity exercise on insulin resistance. Eur J Appl Physiol. 95:(5-6): 522-8.

63. O'Leary V, B., C.M. Marchetti, R.K. Krishnan, B.P. Stetzer, F. Gonzalez and J.P. Kirwan (2005) Exercise-induced reversal of Insulin Resistance in Obese Elderly is associated with reduced Visceral Fat. J Appl Physiol.

64. Orchard, T.J., M. Temprosa, R. Goldberg, S. Haffner, R. Ratner, S. Marcovina and S. Fowler (2005) The effect of metformin and intensive lifestyle intervention on the metabolic syndrome: the Diabetes Prevention Program randomized trial. Ann Intern Med. 142:(8): 611-9.

65. Petersen, A.M. and B.K. Pedersen (2005) The anti-inflammatory effect of exercise. J Appl Physiol. 98:(4): 1154-62.

66. Petrella, R.J., C.N. Lattanzio, A. Demeray, V. Varallo and R. Blore (2005) Can adoption of regular exercise later in life prevent metabolic risk for cardiovascular disease? Diabetes Care. 28:(3): 694-701.

67. Pitsavos, C., D.B. Panagiotakos, C. Chrysohoou, S. Kavouras and C.

Stefanadis (2005) The associations between physical activity, inflammation, and coagulation markers, in people with metabolic syndrome: the ATTICA study. Eur J Cardiovasc Prev Rehabil. 12:(2): 151-8.

68. Pritchett, A.M., J.P. Foreyt and D.L. Mann (2005) Treatment of the metabolic syndrome: the impact of lifestyle modification. Curr Atheroscler Rep. 7:(2): 95-102.

69. Pruchnic, R., A. Katsiaras, J. He, D.E. Kelley, C. Winters and B.H. Goodpaster (2004) Exercise training increases intramyocellular lipid and oxidative capacity in older adults. Am J Physiol Endocrinol Metab. 287:(5): E857-62.

70. Rahman, M., S.J. Griffin, W. Rathmann and N.J. Wareham (2003) How should peripheral neuropathy be assessed in people with diabetes in primary care? A population-based comparison of four measures. Diabetic Medicine. 20: 368.

71. Reddy, G.K., Stehno-Bittel, L., Hamade, S., Enwemeka, C.S. (2001) The biomedical integrity of bone in experimental diabetes. Diabetes Res. Clin Pract. 54:(1): 1-8.

72. Reddy, G.K., Stehno-Bittel, L., Enwemeka, C.S. (2001) Laser photostimulation accelerates wound healing in diabetic rats. Wound Repair Regen. 9:(3): 248-55.

73. Reddy, G.K., Stehno-Bittel, L., Enwemeka, C.S. (2002) Glycation-induced matrix stability in the rabbit achillies tendon. Arch. Biochem. Biophys. 399:(2): 174-180.

74. Regensteiner, J.G., T.A. Bauer and J.E. Reusch (2005) Rosiglitazone improves exercise capacity in individuals with type 2 diabetes. Diabetes Care. 28:(12): 2877-83.

75. Reynolds, K. and J. He (2005) Epidemiology of the metabolic syndrome. Am J Med Sci. 330:(6): 273-9.

76. Roberts, C.K., D. Won, S. Pruthi, S. Kurtovic, R.K. Sindhu, N.D. Vaziri and R.J. Barnard (2005) Effect of a Diet and Exercise Intervention on Oxidative Stress, Inflammation, MMP-9 and Monocyte Chemotactic Activity in Men with Metabolic Syndrome Factors. J Appl Physiol.

77. Rosenberg, D.E., S.A. Jabbour and B.J. Goldstein (2005) Insulin resistance, diabetes and cardiovascular risk: approaches to treatment. Diabetes Obes Metab. 7:(6): 642-53.

78. Ryan, C.M. and M. Geckle (2000) Why is learning and memory dysfunction in Type 2 diabetes limited to older adults? Diabetes/Metabolism Research and Reviews. 16: 308.

79. Ryan, C.M. and M. Geckle (20 0) Circumscribed cognitive dysfunction in middle-aged adults with Type 2 diabetes. Diabetes Care. 23:(10): 1486.

80. Salsich, G.B., M. Brown and M.J. Mueller (2000) Relationships between plantar flexor muscle stiffness, strength, and range of motion in subjects with diabetes-peripheral neuropathy compared to age-matched controls. Journal of Orthopaedic and Sports Physical Therapy. 30:(8):

473.

81. Salsich, G.B. and M.J. Mueller (2000) Effect of plantar flexor muscle stiffness on selected gait characteristics. Gait and Posture. 11: 207.

82. Salsich, G.B., M.J. Mueller and S.A. Sahrmann (2000) Passive ankle stiffness in subjects with diabetes and peripheral neuropathy versus an age-matched comparison group. Physical Therapy. 80: 352.

83. Sarinas, P.S. and D.S. Dube (2005) The Diabetes Prevention Program and the metabolic syndrome. Ann Intern Med. 143:(7): 544-5; author reply 545-6.

84. Schernthaner, G.H. and G. Schernthaner (2005) Insulin resistance and inflammation in the early phase of type 2 diabetes: potential for therapeutic intervention. Scand J Clin Lab Invest Suppl. 240: 30-40.

85. Searls, Y.M., I.V. Smirnova, B.R. Fegley and L. Stehno-Bittel (2004) Exercise attenuates diabetes-induced ultrastructural changes in rat cardiac tissue. Med Sci Sports Exerc. 36:(11): 1863-70.

86. Simonson, G.D. and D.M. Kendall (2005) Diagnosis of insulin resistance and associated syndromes: the spectrum from the metabolic syndrome to type 2 diabetes mellitus. Coron Artery Dis. 16:(8): 465-72.

87. Skyler, J.S. (2004) Effects of glycemic control on diabetes complications and on the prevention of diabetes. Clinical Diabetes. 22: 162-166.

88. Slentz, C.A., L.B. Aiken, J.A. Houmard, C.W. Bales, J.L. Johnson, C.J. Tanner, B.D. Duscha and W.E. Kraus (2005) Inactivity, exercise, and visceral fat. STRRIDE: a randomized, controlled study of exercise intensity and amount. J Appl Physiol. 99:(4): 1613-8.

89. Smirnova, I.V., N. Kibiryeva, E. Vidoni, R. Bunag and L. Stehno-Bittel (2006) Abnormal EKG stress test in rats with type 1 diabetes is deterred with low-intensity exercise program. in press.

90. Stewart, K.J. (2004) Role of exercise training on cardiovascular disease in persons who have type 2 diabetes and hypertension. Cardiol Clin. 22:(4): 569-86.

91. Stewart, K.J., A.C. Bacher, K. Turner, J.G. Lim, P.S. Hees, E.P. Shapiro, M. Tayback and P. Ouyang (2005) Exercise and risk factors associated with metabolic syndrome in older adults. Am J Prev Med. 28: (1): 9-18.

92. Stewart, K.J., P. Ouyang, A.C. Bacher, S. Lima and E.P. Shapiro (2005) Exercise effects on cardiac size and left ventricular diastolic function: relationships to changes in fitness, fatness, blood pressure, and insulin resistance. Heart.

93. Tamsma, J.T., I.M. Jazet, E.D. Beishuizen, A.J. Fogteloo, A.E. Meinders and M.V. Huisman (2005) The metabolic syndrome: a vascular perspective. Eur J Intern Med. 16:(5): 314-20.

94. Ten, S. and N. Maclaren (2004) Insulin resistance syndrome in children. J Clin Endocrinol Metab. 89:(6): 2526-39.

95. Tessier, D., J. Menard, T. Fulop, J.L. Ardilouze, M.A. Roy, N. Dubuc, M.F. Dubois and P. Gauthier (2000) Effects of aerobic physical exercise in the elderly with type 2 diabetes mellitus. Archives of Gerontology and Geriatrics. 31: 121.

96. Troseid, M., K.T. Lappegard, T. Claudi, J.K. Damas, L. Morkrid, R. Brendberg and T.E. Mollnes (2004) Exercise reduces plasma levels of the chemokines MCP-1 and IL-8 in subjects with the metabolic syndrome. Eur Heart J. 25:(4): 349-55.

97. Tuomilehto, J. (2005) Cardiovascular risk: prevention and treatment of the metabolic syndrome. Diabetes Res Clin Pract. 68 Suppl 2: S28-35.

98. Tuomilehto, J., J. Lindstrom, J.G. Eriksson, T.T. Valle, H. Hamalainen, P. Ilanne-Parikka, S. Keinanen-Kiukaanniemi, M. Laakso, A. Louheranta, M. Rastas, V. Salminen and M. Uusitupa (2001) Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. N Engl J Med. 344:(18): 1343-50.

99. Van den Bosch, C.G., M.G. Gilsing, S.G. Lee, J.K. Richardson a d J.A. Ashton-Miller (1995) Peripheral neuropathy effect on ankle inversion and eversion detection thresholds. Archives of Physical Medicine and Rehabilitation. 76: 850.

100. Vega, G.L. (2004) Management of atherogenic dyslipidemia of the metabolic syndrome: evolving rationale for combined drug therapy. Endocrinol Metab Clin North Am. 33:(3): 525-44, vi.

101. Venojarvi, M., R. Puhke, H. Hamalainen, J. Marniemi, M. Rastas, H. Rusko, P. Nuutila, O. Hanninen and S. Aunola (2005) Role of skeletal muscle-fibre type in regulation of glucose metabolism in middle-aged subjects with impaired glucose tolerance during a long-term exercise and dietary intervention. Diabetes Obes Metab. 7:(6): 745-54.

102. Villegas, R., D. Creagh, R. Hinchion, D. O'Halloran and I.J. Perry (2004) Prevalence and lifestyle determinants of the metabolic syndrome. Ir Med J. 97:(10): 300-3.

103. Vinik, A.I., R.E. Maser, B.D. Mitchell and R. Freeman (2003) Diabetic Autonomic Neuropathy. Diabetes Care. 26:(5): 1553.

104. Vinik, A.I., T.S. Park, K.B. Stansberry and G.L. Pittenger (2000) Diabetic Neuropathies. Diabetologia. 43: 957-973.